SPECIFICATION

Product number: G163AY168-S01

Product type: Bar display





Checked by	Rechecked by	Approved by
Comments	Approved by	Company's sea

Please send the original back to us after you have approved and signed.

Modify History

Ver.	Page	Revised Descriptions	Date	Revision	Approal
REV.1.0	ALL	то	2025.05.16		

Product Paramenter:

Mo	16.3" del	Specifications	Units/N umber	Notes
	Dimension	430(L)*76(V)*35(W)	мм	
	Shell material	Black fine sand pattern	-	
	Gross Weight	/	Kg/gros s	
	Display Size	409.8 (L)*50.5(V)	MM	
	Display- resolution	1366*168	Pixel	
Sc	Brightness	350	Cd/m²	
reen Pa	Contrast ratio	1000:1	-	
Screen Param-eters	Display scale	16:1.95	-	
eters	Viewing angle	89/89/89	-	
	Pixel pitch	0.3*0.3	MM	
	Display color	16.7	М	
	Maximum power	≤35W	W	
Elec	Standby power	≤1W	W	
ectrical	Supply Voltage	5V	V	
	Horn	8Ω3W	-	
WorkStorage	Operating temperature	0-50	°C	
	Working- humidity	10%~80%	%hr	
	Storage temperature	-20-50	°C	
	Storage Humidity	10%~80%	%hr	
	Power interface	DC 12V 5A		

Мос	16.3" lel	Specifications	Units/N umber	Notes
	CPU	RKPX30 Four-core ARM Cortex-A35		
	Operating System	Android 8.1		
	Memory Storage	Standard 8G internal storage (optional 8G/16G/32G/64G)		
	built-inROM	1G DDR3		
	HDMI Out	/		
	HDMI import	/		
Fun	Support Video- Formats	MP4 MKV WMV MOV FLV		
Functional configuration	Support Image- Formats	BMP JPEG PNG GIF		
onfigura	Audio Input/Output	Audio amplifier output, mono 1.3W		
tion	Headphone Output	/		
	USB Interface	Two micro USB ports, USB touch screen, USB camera, keyboard, mouse, etc		
	Serial Port	/		
	Network Support	Supports 2.4G wireless network WIFI and Bluetooth V4.1 access		
	Memory Card	It can be connected to a maximum of 64G TF memory card		
	RTC	Support multiple timing on and off		
	System Upgrade	Supports local SD card upgrades		



Product Dimension Drawing:

