SPECIFICATION

Product number: G231AY158-S01

Product type: Bar display



Checked by	Rechecked by	Approved by	
Comments	Approved by	Company's seal	
Customer's Name:			

Please send the original back to us after you have approved and signed.

Modify History

Ver.	Page	Revised Descriptions	Date	Revision	Approal
REV.1.0	ALL	ТО	2025.05.16		

Product Paramenter:

	23.1"		Units/N	
Mod		Specifications	umber	Notes
	Dimension	597.2(L)*61.8(V)*15(W)	MM	
	Shell material	Black fine sand pattern	-	
	Gross Weight	2.4	Kg/gros s	
Screen Param-eters	Display Size	585.22 (L)*48.16(V)	MM	
	Display- resolution	1920*158	Pixel	
	Brightness	400	Cd/m²	
	Contrast ratio	1000:1	-	
	Display scale	16:1.3	-	
	Viewing angle	85/85/85	-	
	Pixel pitch	0.3048*0.3048	MM	
	Display color	16.7	М	
Electrical	Maximum power	≤35W	W	
	Standby power	≤1W	W	
	Supply Voltage	5V	V	
	Horn	/	-	
	Operating temperature	0-50	$^{\circ}$	
WorkStorage	Working- humidity	10%~80%	%hr	
	Storage temperature	-20-50	$^{\circ}$	
	Storage Humidity	10%~80%	%hr	
	Power interface	DC 12V 5A		

Copyright GOMANY belongs to GOMANY. The contents of this document are commercial secrets. No organization or individual may copy or disseminate in any form without permission.

Mod	23.1" lel	Specifications	Units/N umber	Notes
	CPU	RKPX30 Four-core ARM Cortex-A35		
	Operating System	Android 8.1		
	Memory Storage	Standard 8G internal storage (optional 8G/16G/32G/64G)		
	built-inROM	1G DDR3		
	HDMI Out	/		
Functional configuration	HDMI import	nport /		
	Support Video- Formats	MP4 MKV WMV MOV FLV		
	Support Image- Formats			
	Audio Input/Output	Δudio amplitier output mono 1 3W		
	Headphone Output	/		
	USB Interface	Two micro USB ports, USB touch screen, USB camera, keyboard, mouse, etc		
	Serial Port	ort /		
	Network Support	Supports 2.4G wireless network WIFI and Bluetooth V4.1 access		
	Memory Card	It can be connected to a maximum of 64G TF memory card		
	RTC	Support multiple timing on and off		
	System Upgrade	Supports local SD card upgrades		

Product Rendering:



Product Dimension Drawing:

