### **SPECIFICATION**

Product number: G477AY220-S01

Product type: Bar display



Checked by	Rechecked by	Approved by
Comments	Approved by	Company's seal
	Customer's Name:	

Please send the original back to us after you have approved and signed.

#### **Modify History**

Ver.	Page	Revised Descriptions	Date	Revision	Approal
REV.1.0	ALL	ТО	2025.05.16		

## **Product Paramenter:**

	47.7"	<b>`</b>	Units/N	
Mod		Specifications	umber	Notes
	Dimension	1230 (L)*95.12(H)*35(W)	MM	
	Shell material	Black fine sand pattern	-	
	Gross Weight	4.9	Kg/gros s	
Screen Param-eters	Display Size	1209.6(L)*69.3(V)	MM	
	Display- resolution	3840*220	Pixel	
	Brightness	700	Cd/m²	
	Contrast ratio	1300: 1	-	
	Display scale	16:0.9	-	
	Viewing angle	89/89/89	-	
	Pixel pitch	0.315*0.315	MM	
	Display color	1.07	В	
Elec	Maximum power	≤35	W	
	Standby power	≤1	W	
ectrical	Supply Voltage	12V	V	
	Horn	5W/8 Ω	-	
WorkStorage	Operating temperature	0-50	$^{\circ}$ C	
	Working- humidity	10%~80%	%hr	
	Storage temperature	-20-50	$^{\circ}$ C	
	Storage Humidity	10%~80%	%hr	
	Power interface	DC 12V 5A		

Copyright GOMANY belongs to GOMANY. The contents of this document are commercial secrets. No organization or individual may copy or disseminate in any form without permission.

Mod	47.7"	Specifications	Units/N umber	Notes
Functional configuration	СРИ	The T972 quad-core A55 has a maximum frequency of 1.9GHz,		
	Operating System	Android 9.0		
	Memory Storage	Standard 16GB (16/32/64GB optional)		
	built-inROM	Standard 2GB (1G/4G optional)		
	HDMI Out	/		
	HDMI import	/		
	Support Video- Formats	Supports wmv, avi, flv, rm, rmvb,mpeg, ts,mp4, etc		
	Support Image- Formats	Supports BMP, JPEG, PNG, GIF		
	Audio Input/Output	Supports left and right channel output, built-in dual 8Ω/9.5W power amplifier		
	Headphone Output	Supports 1 headphone jack		
	USB Interface	1 USB OTG A port, 1 USB2.0 A port, 2 USB sockets		
	Serial Port	1 The road can be used for serial port		
	Network Support	WIFI, Ethernet		
	Memory Card	/		
	RTC	Support multi-time timing on and off		
	System Upgrade	Support local TF, USB, upgrade and remote upgrade		

# **Product Rendering:**



## **Product Dimension Drawing:**

