#### **SPECIFICATION**

Product number: G860AY600-D01

Product type: Metro display



Checked by	Rechecked by	Approved by
Comments	Approved by	Company's seal
	Customer's Name:	

Please send the original back to us after you have approved and signed.

#### **Modify History**

Ver.	Page	Revised Descriptions	Date	Revision	Approal
REV.1.0	ALL	ТО	2025.05.16		

## **Product Paramenter:**

Mod	86" del	Specifications	Units/N umber	Notes
	Dimension	2185.5(L)*366(W)*72(H)	ММ	
	Shell material	Black fine sand pattern	-	
	Gross Weight	42	Kg/gros s	
	Display Size	2158.84(L)*334.51(V)	MM	
Screen Param-eters	Display- resolution	3840*600	Pixel	
	Brightness	500	Cd/m²	
	Contrast ratio	1200: 1	-	
	Display scale	16:2.5	-	
ters	Viewing angle	89/89/89	-	
	Pixel pitch	0.5622*0.5622	MM	
	Display color	1.07	В	
	Maximum power	≤180	W	
Elec	Standby power	≤1	W	
ectrical	Supply Voltage	12	V	
	Horn	5W/8 Ω*2	-	
	Operating temperature	0-50	$^{\circ}$	
WorkStorage	Working- humidity	10%~80%	%hr	
	Storage temperature	-20-50	$^{\circ}$	
	Storage Humidity	10%~80%	%hr	
	Power interface	AC 110-240V		

Copyright GOMANY belongs to GOMANY. The contents of this document are commercial secrets. No organization or individual may copy or disseminate in any form without permission.

Mod	86" lel	Specifications	Units/N umber	Notes
	СРИ	BSD. TK3 V1.0		
	Operating System	/		
	Memory Storage	/		
	built-inROM /			
	HDMI Out	HDMI Out /		
	HDMI import	Two HDMI 2.0 inputs		
Fun	Support Video- Formats	Supports wmv, avi, flv, rm, rmvb, mpeg, ts, mp4, etc		
Functional configuration	Support Image- Formats	Supports BMP, JPEG, PNG, GIF		
	Audio Input/Output	(8Ω) 2 X 10W		
	Headphone Output	/		
	USB Interface	Three-way USB:1*TV-USB,1*OPS-3.0USB,1*OPS-2.0USB (built-in)		
	Serial Port	/		
	Network Support	/		
	Memory Card	/		
	RTC	/		
	System Upgrade	Supports local Debug upgrade ports		

# **Product Rendering:**



## **Product Dimension Drawing:**

