SPECIFICATION

Product number: G900AWE40-D01

Product type: Vertical full screen display





| Checked by | Rechecked by | Approved by |
|------------|------------------|----------------|
| Comments | Approved by | Company's seal |
| | Customer's Name: | |

Please send the original back to us after you have approved and signed.

Modify History

| Ver. | Page | Revised Descriptions | Date | Revision | Approal |
|---------|------|----------------------|------------|----------|---------|
| REV.1.0 | ALL | ТО | 2025.05.16 | | |
| | | | | | |
| | | | | | |

Product Paramenter:

| Mod | 90" | Specifications | Units/N umber | Notes |
|--------------------|------------------------|--|------------------|-------|
| | Dimension | 2290 (H) x 871 (V) x 74.1 (W) (including base) | MM | |
| | Shell material | Black fine sand pattern | - | |
| | Gross Weight | / | Kg/gros s | |
| Screen Param-eters | Display Size | 2158.85(H)×809.568(V) | MM | |
| | Display- resolution | 3840*1440 | Pixel | |
| | Brightness | 350 | Cd/m² | |
| | Contrast ratio | 1200: 1 | - | |
| | Display scale | 16:6 | - | |
| | Viewing angle | 89/89/89 | - | |
| | Pixel pitch | 0.5622*0.5622 | MM | |
| | Display color | 1.07 | В | |
| Ele | Maximum power | ≤120 | W | |
| | Standby power | ≤1 | W | |
| ectrical | Supply Voltage | 12 | V | |
| | Horn | 5W/8 Ω*2 | - | |
| WorkStorage | Operating temperature | 0-50 | $^{\circ}$ | |
| | Working- humidity | 10%~80% | %hr | |
| | Storage temperature | -20-50 | $^{\circ}$ | |
| | Storage Humidity | 10%~80% | %hr | |
| | Power interface | AC 110-240V | | |

Copyright GOMANY belongs to GOMANY. The contents of this document are commercial secrets. No organization or individual may copy or disseminate in any form without permission.

| Mod | 90" del | Specifications | Units/N umber | Notes |
|--------------------------|---------------------------|--|------------------|-------|
| Functional configuration | СРИ | The T972 quad-core A55 has a maximum frequency of 1.9GHz, | | |
| | Operating System | Android 9.0 | | |
| | Memory Storage | Standard 2GB (1G/4G optional)Standard 16GB (16/32/64GB optional) | | |
| | built-inROM | / | | |
| | HDMI Out | / | | |
| | HDMI import | 1, supports HDMI 2.1 4kx2k@60Hz input | | |
| | Support Video- Formats | Supports H.265, H.264, VP8, MAV, WMV, AVS, H.263, MPEG4 and other video formats | | |
| | Support Image- Formats | Supports JPG, BMP, PNG and other image formats | | |
| | Audio Input/Output | Supports left and right channel output, built-in dual $8\Omega/9.5W$ power amplifier | | |
| | Headphone Output | Supports 1 headphone jack | | |
| | USB Interface | 1 USB OTG A port, 1 USB2.0 A port | | |
| | Serial Port | 1 The serial port is available | | |
| | Network Support | WIFI, Ethernet | | |
| | Memory Card | / | | |
| | RTC | Support multi-time timing on and off | | |
| | System Upgrade | Support local TF, USB upgrade and remote upgrade | | |

Product Rendering:















Product Dimension Drawing:

