
SPECIFICATION

Product number: G550AWN60-S01

Product type: Self-service kiosks



Checked by	Rechecked by	Approved by
Comments	Approved by	Company's seal
	Customer's Name:	

Please send the original back to us after you have approved and signed.

Modify History

Ver.	Page	Revised Descriptions	Date	Revision	Approal
REV.1.0	ALL	ТО	2025.05.16		


Product Paramenter:

	55" Units/N New					
Mod		Specifications	umber	Notes		
	Dimension	1283 (L)*753.8(V)*1139.76(H)	MM			
	Shell material	Black fine sand pattern (customizable)	-			
	Gross Weight	/	Kg/gros s			
Screen Param-eters	Display Size	1209.6(L)×680.4(V)	MM			
	Display- resolution	3840*2160	Pixel			
	Brightness	400	Cd/m²			
	Contrast ratio	1300:1	-			
	Display scale	16:9	-			
	Viewing angle	89/89/89	-			
	Pixel pitch	0.315×0.315	MM			
	Display color	1.07	В			
Electrical	Maximum power	≤85	W			
	Standby power	≤1	W			
	Supply Voltage	12	V			
	Horn	8Ω3W*2	-			
WorkStorage	Operating temperature	0-50	$^{\circ}$ C			
	Working- humidity	10%~80%	%hr			
	Storage temperature	-20-50	$^{\circ}$			
	Storage Humidity	10%~80%	%hr			
	Power interface	AC 110-240V				

Copyright GOMANY belongs to GOMANY. The contents of this document are commercial secrets. No organization or individual may copy or disseminate in any form without permission.

Mod	55" del	Specifications	Units/N umber	Notes
Functional configuration	СРИ	RK3288, quad-core, 1.8GHz, Android 5.1.1		
	Operating System	Android 5.1.1		
	Memory Storage	Standard 2G (4G optional) / Standard 8G (16/32/64G optional)		
	built-inROM	2KB EEPROM (default not included, optional patch)		
	HDMI Out	1, supports 1080P@120Hz, 4kx2k@60Hz output		
	HDMI import	/		
	Support Video- Formats	Support wmv, avi, flv, rm, rmvb,mpeg,ts,mp4, etc		
	Support Image- Formats	Supports BMP, JPEG, PNG, GIF		
	Audio Input/Output	Supports left and right channel output, with built-in dual 4R/20W and 8R/10W power amplifiers		
	Headphone Output	Supports the insertion of one or two earphones		
	USB Interface	2 * USB HOST		
	Serial Port	/		
	Network Support	10/100M Adaptive Ethernet,Built-in WIFI, BT4.0, Built-in PCI-E interface 3G/4G, Internet access and call		
	Memory Card	Supports		
	RTC	Supports		
	System Upgrade	Support local SD, USB upgrade		

Product Rendering:



Product Dimension Drawing:

