

SPECIFICATION

Product number: G650AYN60-D01

Product type: Splicing Screen



Checked by	Rechecked by	Approved by
Comments	Approved by	Company's seal
Customer's Name:		

Please send the original back to us after you have approved and signed.

Modify History



Ver.	Page	Revised Descriptions	Date	Revision	Approval
REV.1.0	ALL	T0	2025.05.16		

Product Parameter:

65"		Specifications	Units/Number	Notes
Model				
	Dimension	1432.58 (L) *807.62 (H) *149.4 (W)	MM	
	Shell material	Sheet metal black	-	
	Gross Weight	40	Kg/gross	
Screen Parameters	Display Size	1428.48(L)×803.52(H)	MM	
	Display- resolution	3840*2160	Pixel	
	Brightness	500	Cd/m ²	
	Contrast ratio	1200:1	-	
	Display scale	16:9	-	
	Viewing angle	89/89/89/89	-	
	Pixel pitch	0.372×0.372	MM	
	Display color	16.7	M	
Electrical	Maximum power	≤250	W	
	Standby power	≤1	W	
	Supply Voltage	12	V	
	Horn	/	-	
WorkStorage	Operating temperature	0-50	℃	
	Working- humidity	10%～80%	%hr	
	Storage temperature	-20-50	℃	
	Storage Humidity	10%～80%	%hr	
Power interface		AC 110V~240V		

<div> <div>65"</div> <div>Model</div> </div>		Specifications	Units/Number	Notes
Functional configuration	CPU	/		
	Operating System	/		
	Memory Storage	/		
	built-inROM	/		
	HDMI Out	/		
	HDMI import	HDMI IN*1		
	Support Video-Formats	/		
	Support Image-Formats	/		
	Audio Input/Output	/		
	Headphone Output	/		
	USB Interface	USB2.0*1		
	Serial Port	CVBS (BNC)X1, VGAX1;1920X1080P 60Hz, RS232 (RJ45) X1		
	Network Support	/		
	Memory Card	/		
	RTC	/		
	System Upgrade	/		

Product Rendering:



Product Dimension Drawing:

