

TABLE OF CONTENTS

Products List 02

Small size solution: 8.8/11.3/16.3inch

8.8" shelf screen 03

Feature images 03

Application images 03

Specifications 03

11.3" shelf screen 04

Feature images 04

Application images 04

Specifications 04

16.3" shelf screen 05

Feature images 05

Application images 05

Specifications 05

600MM solution: 23.1/24.5inch

23.1" shelf screen 06

Feature images 06

Application images 06

Specifications 06

24.5" shelf screen 07

Feature images 07

Application images 07

Specifications 07

900MM solution: 35/37inch

35" shelf screen 08

Feature images 08

Application images 08

Specifications 08

37" shelf screen 09

Feature images 09

Application images 09

Specifications 09

1200MM solution: 47.7/49.5inch

47.7" shelf screen 10

Feature images 10

Application images 10

Specifications 10

49.5" shelf screen 11

Feature images 11

Application images 11

Specifications 11

Shenzhen Gomany Display Co.,Ltd.

Products List						
Model	Dimension (L*W*H) MM	Display area (L*W) MM	Resolution (Pixel)	Brightness (Cd/m²)	Power (W)	Weight (Kg)
8.8"	240.6*69.6*16	218.8*54.72	1920*480	500	≤35	/
11.3"	320*47*30.5	293.76*26.8	1920*176	400	≤35	/
16.3"	430*76*35	409.8*50.5	1366*168	350	≤35	/
23.1"	597.2*61.8*15	585.22*48.16	1920*158	400	≤35	2.4
24.5"	630*198.8*66	597.6*168	1920*540	350	≤35	3
35"	894.7*60.2*22	878.11*43.1	1920*96	400	≤35	2.6
37"	900*264.5*45	878.11*1242.68	1920*540	350	≤35	8.8
47.7"	1230*95.12*35	1209.6*69.3	3840*220	700	≤35	4.9
49.5"	1243*373.6*80	1209.6*340.2	3840*1080	350	≤50	10.7

Shenzhen Gomany Display Co.,Ltd.

Feature image



Application image



Specifications

Model	8.8	Power interface	DC 12V 5A
Dimension	240.6 (L)*69.6(V)*16(W) MM	CPU	Rockchip RKPX30 Quad-core ARM Cortex-A35
Material	Black fine sand pattern	System	Android 8.1
Weight	/ Kg	Memory	Standard 8G internal storage (optional 8G/16G/32G/64G)
Display area	218.8 (L)*54.72(V) MM	Built-in ROM	1G DDR3
Resolution	1920*480 Pixel	HDMI output	/
Brightness	500 Cd/m ²	HDMI-IN	/
Contrast	800:1	Video format	support mp4,mkv,wmv,mov,flv etc
Max power consumption	≤35 W	Picture format	support BMP、JPEG、PNG、GIF
Standby power	≤1 W	Audio in/out	Audio amplifier output, mono 1.3W
Supply voltage	5V V	Headphone out	/
Speaker	/	USB interface	2 micro-USB ports, support USB touch screen, USB camera, keyboard, mouse, etc.
Work temp	0-50 °C	Serial port	/
Work humidity	10% ~ 80% %hr	Network	Support 2.4G wireless network WIFI, Bluetooth V4.1 access
Storage temp	-20-50 °C	Memory card	Can connect a TF memory card up to 64G
Storage humidity	10% ~ 80% %hr	System upgrade	Support local SD card upgrade

Shenzhen Gomany Display Co.,Ltd.

Feature image



Application image



Specifications

Model	11.3"		Power interface	DC 12V 5A
Dimension	320 (L)*47(V)*30.5(W)	MM	CPU	RKPX30
Material	Black fine sand pattern		System	Android 8.1
Weight	/	Kg	Memory	Standard 8G internal storage (optional 8G/16G/32G/64G)
Display area	293.76 (L)*26.8(V)	MM	Built-in ROM	1G DDR3
Resolution	1920*176	Pixel	HDMI output	/
Brightness	400	Cd/m ²	HDMI-IN	/
Contrast	800:1		Video format	support wmv、avi、flv、rm、rmvb、mpeg、ts、
Max power consumption	≤35	W	Picture format	support BMP、JPEG、PNG、GIF
Standby power	≤1	W	Audio in/out	Support left and right channel output, built-in dual 4R/20W, 8R/10W power
Supply voltage	12V	V	Headphone out	/
Speaker	/		USB interface	2 ↑ USB HOST
Work temp	0-50	°C	Serial port	/
Work humidity	10% ~ 80%	%hr	Network	Support 2.4G wireless network WIFI ,Bluetooth V4.1 access
Storage temp	-20-50	°C	Memory card	Can connect a TF memory card up to 64G
Storage humidity	10% ~ 80%	%hr	System upgrade	Support local SD card upgrade

Shenzhen Gomany Display Co.,Ltd.

Feature image



Application image




Specifications

Model	16.3"	Power interface	DC 12V 5A
Dimension	430 (L)*76V)*35(W)MM	CPU	Rockchip RKPX30 Quad-core ARM Cortex-A35
Material	Black fine sand pattern	System	Android 8.1
Weight	/Kg	Memory	Standard 8G internal storage (optional 8G/16G/32G/64G)
Display area	409.8 (L)*50.5 (V)MM	Built-in ROM	1G DDR3
Resolution	1366*168Pixel	HDMI output	/
Brightness	350Cd/m ²	HDMI-IN	/
Contrast	1000:1	Video format	support mp4,mkv,wmv,mov,flv etc
Max power consumption	≤35W	Picture format	support BMP、JPEG、PNG、GIF
Standby power	≤1W	Audio in/out	Audio amplifier output, mono 1.3W
Supply voltage	5VV	Headphone out	/
Speaker	3W/8Ω	USB interface	2 micro-USB ports, support USB touch screen, USB camera, keyboard, mouse, etc.
Work temp	0-50℃	Serial port	/
Work humidity	10% ~ 80% %hr	Network	Support 2.4G wireless network WIFI ,Bluetooth V4.1 access
Storage temp	-20-50℃	Memory card	Can connect a TF memory card up to 64G
Storage humidity	10% ~ 80% %hr	System upgrade	Support local SD card upgrade

Shenzhen Gomany Display Co.,Ltd.

Feature image



Application image




Specifications

Model	23.1"	
Dimension	597.2 (L)*61.8(V)*15(W)	MM
Material	Black fine sand pattern	
Weight	2.4	Kg
Display area	585.22 (L)*48.16(V)	MM
Resolution	1920*158	Pixel
Brightness	300	Cd/m ²
Contrast	1000:1	
Max power consumption	≤35	W
Standby power	≤1	W
Supply voltage	12V	V
Speaker	/	
Work temp	0-50	°C
Work humidity	10% ~ 80%	%hr
Storage temp	-20-50	°C
Storage humidity	10% ~ 80%	%hr

Power interface	DC 12V 5A
CPU	Rockchip RKPX30 Quad-core ARM Cortex-A35
System	Android 8.1
Memory	Standard 8G internal storage (optional 8G/16G/32G/64G)
Built-in ROM	1G DDR3
HDMI output	/
HDMI-IN	/
Video format	support mp4,mkv,wmv,mov,flv etc
Picture format	support BMP、JPEG、PNG、GIF
Audio in/out	Audio amplifier output, mono 1.3W
Headphone out	/
USB interface	2 micro-USB ports, support USB touch screen, USB camera, keyboard, mouse, etc.
Serial port	/
Network	Support 2.4G wireless network WIFI ,Bluetooth V4.1 access
Memory card	Can connect a TF memory card up to 64G
System upgrade	Support local SD card upgrade

Shenzhen Gomany Display Co.,Ltd.

Feature image



Application image



Specifications

Model	24.5"		Power interface	DC 12V 5A
Dimension	630 (L)*198.8(V)*66(W)	MM	CPU	TA40i, quad-core, up to 1.2GHz
Material	Black fine sand pattern		System	Android 7.1
Weight	3	Kg	Memory	EMMC standard 8G, (16/32G optional)
Display area	630 (L)*168(V)	MM	Built-in ROM	2KB EEPROM
Resolution	1920*540	Pixel	HDMI output	1, supports 1080P output
Brightness	350	Cd/m ²	HDMI-IN	/
Contrast	3000:1		Video format	Support wmv, avi, flv, rm, rmvb, mpeg, ts, mp4, etc.
Max power consumption	≤35	W	Picture format	Support BMP, JPEG, PNG, GIF
Standby power	≤1	W	Audio in/out	Support left and right channel output, built-in dual 4R/20W, 8R/10W power
Supply voltage	12V	V	Headphone out	/
Speaker	/		USB interface	2 USB HOSTs, 3 USB sockets
Work temp	0-50	°C	Serial port	2 serial TTL sockets, 2 serial RS232 sockets
Work humidity	10% ~ 80%	%hr	Network	4G, Ethernet, WiFi/Bluetooth 4.0 support, wireless peripheral expansion
Storage temp	-20-50	°C	Memory card	SD card support
Storage humidity	10% ~ 80%	%hr	System upgrade	Support local SD USB upgrade

Shenzhen Gomany Display Co.,Ltd.

Feature image



Application image



Specifications

Model	35"	Power interface	DC 12V 5A
Dimension	894.7 (L)*60.2(V)*22(W) MM	CPU	Rockchip RKPX30 Quad-core ARM Cortex-A35
Material	Black fine sand pattern	System	Android 8.1
Weight	2.6 Kg	Memory	Standard 8G internal storage (optional 8G/16G/32G/64G)
Display area	878.11 (L)*43.1(V) MM	Built-in ROM	1G DDR3
Resolution	1920*96 Pixel	HDMI output	/
Brightness	400 Cd/m ²	HDMI-IN	/
Contrast	5000:1	Video format	support mp4,mkv,wmv,mov,flv etc
Max power consumption	≤35 W	Picture format	support BMP、JPEG、PNG、GIF
Standby power	≤1 W	Audio in/out	Audio amplifier output, mono 1.3W
Supply voltage	12V V	Headphone out	/
Speaker	5W/8Ω	USB interface	2 micro-USB ports, support USB touch screen, USB camera, keyboard, mouse, etc.
Work temp	0-50 °C	Serial port	/
Work humidity	10% ~ 80% %hr	Network	Support 2.4G wireless network WIFI, Bluetooth V4.1 access
Storage temp	-20-50 °C	Memory card	Can connect a TF memory card up to 64G
Storage humidity	10% ~ 80% %hr	System upgrade	Support local SD card upgrade

Shenzhen Gomany Display Co.,Ltd.

Feature image



Application image



Specifications

Model	37"	Power interface	DC 12V 5A
Dimension	918 (L)*287.5(V)*50(W) MM	CPU	TA40i, quad-core, up to 1.2GHz
Material	Black fine sand pattern	System	Android 7.1
Weight	11 Kg	Memory	EMMC standard 8G, (16/32G optional)
Display area	878.11 (L)*247.61(V) MM	Built-in ROM	2KB EEPROM
Resolution	1920*551 Pixel	HDMI output	1, supports 1080P output
Brightness	350 Cd/m ²	HDMI-IN	/
Contrast	5000:1	Video format	Support wmv, avi, flv, rm, rmvb, mpeg, ts, mp4, etc.
Max power consumption	≤80 W	Picture format	Support BMP, JPEG, PNG, GIF
Standby power	≤1 W	Audio in/out	Support left and right channel output, built-in dual 4R/20W, 8R/10W power
Supply voltage	12V V	Headphone out	/
Speaker	5W/8Ω	USB interface	2 USB HOSTs, 3 USB sockets
Work temp	0-50 °C	Serial port	2 serial TTL sockets, 2 serial RS232 sockets
Work humidity	10% ~ 60% %hr	Network	4G, Ethernet, WiFi/Bluetooth 4.0 support, wireless peripheral expansion
Storage temp	-20-60 °C	Memory card	SD card support
Storage humidity	10% ~ 60% %hr	System upgrade	Support local SD USB upgrade

Shenzhen Gomany Display Co.,Ltd.

Feature image



Application image



Specifications

Model	47.7"	
Dimension	1230 (L)*95.12(V)*35(W)	MM
Material	Black fine sand pattern	
Weight	4.9	Kg
Display area	1209.6 (L)*69.3(V)	MM
Resolution	3840*220	Pixel
Brightness	700	Cd/m ²
Contrast	1300:1	
Max power consumption	≤35	W
Standby power	≤15	W
Supply voltage	12V	V
Speaker	5W/8Ω	
Work temp	0-50	°C
Work humidity	10% ~ 80%	%hr
Storage temp	-20-50	°C
Storage humidity	10% ~ 80%	%hr

Power interface	DC 12V 5A
CPU	T972 quad-core A55, up to 1.9GHz
System	Android 9.0
Memory	Standard 16GB (16/32/64GB optional)
Built-in ROM	Standard 2GB (1G/4G optional)
HDMI output	/
HDMI-IN	1, supports HDMI 2.1 4kx2k@60Hz input
Video format	Support mp4,mkv,wmv,mov,flv,etc.
Picture format	Support BMP, JPEG, PNG, GIF
Audio in/out	Support left and right channel output, built-in dual 8Ω/9.5W amplifier
Headphone out	Support 1 headphone connection
USB interface	1 USB OTG A port, 1 USB2.0 A port, 2 USB sockets
Serial port	1 *serial port
Network	WIFI, Ethernet
Memory card	/
System upgrade	Support local SD, USB upgrade

Shenzhen Gomany Display Co.,Ltd.

Feature image



Application image



Specifications

Model	49.5"	
Dimension	1243 (L)*373.6(V)*80(W)	MM
Material	Black fine sand pattern	
Weight	10.7	Kg
Display area	1209.6 (L)*340.2(V)	MM
Resolution	3840*1080	Pixel
Brightness	350	Cd/m ²
Contrast	1300:1	
Max power consumption	≤50	W
Standby power	≤4.5	W
Supply voltage	12V	V
Speaker	5W/8Ω	
Work temp	0-50	°C
Work humidity	10% ~ 90%	%hr
Storage temp	-20-60	°C
Storage humidity	5% ~ 90%	%hr

Power interface	AC 110-240V
CPU	T972 quad-core A55, up to 1.9GHz
System	Android 9.0
Memory	Standard 16GB (16/32/64GB optional)
Built-in ROM	Standard 2GB (1G/4G optional)
HDMI output	/
HDMI-IN	1, supports HDMI 2.1 4kx2k@60Hz input
Video format	Support mp4,mkv,wmv,mov,flv,etc.
Picture format	Support BMP, JPEG, PNG, GIF
Audio in/out	Support left and right channel output, built-in dual 8Ω/9.5W amplifier
Headphone out	Support 1 headphone connection
USB interface	1 USB OTG A port, 1 USB2.0 A port, 2 USB sockets
Serial port	1 *serial port
Network	WIFI, 4G
Memory card	/
System upgrade	Support local TF, USB upgrade