

# SPECIFICATION

Product number: G460AY350-D01

Product type: Splicing Screen



|                  |              |                |
|------------------|--------------|----------------|
|                  |              |                |
| Checked by       | Rechecked by | Approved by    |
|                  |              |                |
| Comments         | Approved by  | Company's seal |
|                  |              |                |
| Customer's Name: |              |                |

Please send the original back to us after you have approved and signed.

Modify History



| Ver.    | Page | Revised Descriptions | Date       | Revision | Approval |
|---------|------|----------------------|------------|----------|----------|
| REV.1.0 | ALL  | T0                   | 2025.05.16 |          |          |
|         |      |                      |            |          |          |
|         |      |                      |            |          |          |

# Product Parameter:

| 46"               |                       | Model | Specifications       | Units/Number      | Notes |
|-------------------|-----------------------|-------|----------------------|-------------------|-------|
|                   | Dimension             |       | 1022.28×576.87×152mm | MM                |       |
|                   | Shell material        |       | Sheet metal black    | -                 |       |
|                   | Gross Weight          |       | 17                   | Kg/gross          |       |
| Screen Parameters | Nominal bezel size    |       | 3.5mm                | MM                |       |
|                   | Display- resolution   |       | 1920*1080            | Pixel             |       |
|                   | Brightness            |       | 500                  | Cd/m <sup>2</sup> |       |
|                   | Contrast ratio        |       | 1200:1               | -                 |       |
|                   | Display scale         |       | 16:9                 | -                 |       |
|                   | Viewing angle         |       | 89/89/89/89          | -                 |       |
|                   | Pixel pitch           |       | 0.53025×0.53025      | MM                |       |
|                   | Display color         |       | 16.7                 | M                 |       |
| Electrical        | Maximum power         |       | ≤200                 | W                 |       |
|                   | Standby power         |       | ≤1                   | W                 |       |
|                   | Supply Voltage        |       | 12                   | V                 |       |
|                   | Horn                  |       | /                    | -                 |       |
| WorkStorage       | Operating temperature |       | 0-50                 | ℃                 |       |
|                   | Working- humidity     |       | 10%～80%              | %hr               |       |
|                   | Storage temperature   |       | -20-50               | ℃                 |       |
|                   | Storage Humidity      |       | 10%～80%              | %hr               |       |
| Power interface   |                       |       | AC 110V~240V         |                   |       |

| <div> <div>46"</div> <div>Model</div> </div> |                       | Specifications                                       | Units/Number | Notes |
|----------------------------------------------|-----------------------|------------------------------------------------------|--------------|-------|
| Functional configuration                     | CPU                   | /                                                    |              |       |
|                                              | Operating System      | /                                                    |              |       |
|                                              | Memory Storage        | /                                                    |              |       |
|                                              | built-inROM           | /                                                    |              |       |
|                                              | HDMI Out              | /                                                    |              |       |
|                                              | HDMI import           | HDMI IN*1                                            |              |       |
|                                              | Support Video-Formats | /                                                    |              |       |
|                                              | Support Image-Formats | /                                                    |              |       |
|                                              | Audio Input/Output    | /                                                    |              |       |
|                                              | Headphone Output      | /                                                    |              |       |
|                                              | USB Interface         | USB2.0*1                                             |              |       |
|                                              | Serial Port           | CVBS (BNC)X1, VGAX1;1920X1080P 60Hz, RS232 (RJ45) X1 |              |       |
|                                              | Network Support       | /                                                    |              |       |
|                                              | Memory Card           | /                                                    |              |       |
|                                              | RTC                   | /                                                    |              |       |
|                                              | System Upgrade        | /                                                    |              |       |

# Product Rendering:



# Product Dimension Drawing:

