


# SPECIFICATION

Product number: G59BYK00-S01

Product type: Square screen display



|                  |              |                |
|------------------|--------------|----------------|
|                  |              |                |
| Checked by       | Rechecked by | Approved by    |
|                  |              |                |
|                  |              |                |
| Comments         | Approved by  | Company's seal |
|                  |              |                |
| Customer's Name: |              |                |

Please send the original back to us after you have approved and signed.

Modify History


| Ver.    | Page | Revised Descriptions | Date       | Revision | Approval |
|---------|------|----------------------|------------|----------|----------|
| REV.1.0 | ALL  | T0                   | 2025.04.16 |          |          |
|         |      |                      |            |          |          |
|         |      |                      |            |          |          |

# Product Parameter:

| 59"               |                       | Model | Specifications          | Units/Number      | Notes |
|-------------------|-----------------------|-------|-------------------------|-------------------|-------|
|                   | Dimension             |       | 1102 (L)*1102(H)x46(W)  | MM                |       |
|                   | Shell material        |       | Black fine sand texture | -                 |       |
|                   | Gross Weight          |       | 25                      | Kg/gross          |       |
| Screen Parameters | Display Size          |       | 1068.18(L)x 1068.18(H)  | MM                |       |
|                   | Display- resolution   |       | 1900*1900               | Pixel             |       |
|                   | Brightness            |       | 300                     | Cd/m <sup>2</sup> |       |
|                   | Contrast ratio        |       | 1200:1                  | -                 |       |
|                   | Display scale         |       | 1:1                     | -                 |       |
|                   | Viewing angle         |       | 89/89/89/89             | -                 |       |
|                   | Pixel pitch           |       | 0.5622*0.5622           | MM                |       |
|                   | Display color         |       | 1.07                    | B                 |       |
| Electrical        | Maximum power         |       | ≤200                    | W                 |       |
|                   | Standby power         |       | ≤1                      | W                 |       |
|                   | Supply Voltage        |       | 12V                     | V                 |       |
|                   | Horn                  |       | 3W/8 Ω*2                | -                 |       |
| WorkStorage       | Operating temperature |       | 0-50                    | °C                |       |
|                   | Working- humidity     |       | 10%~80%                 | %hr               |       |
|                   | Storage temperature   |       | -20-50                  | °C                |       |
|                   | Storage Humidity      |       | 10%~80%                 | %hr               |       |
| Power interface   |                       |       | AC 110-240V             |                   |       |

| 59"<br>Model             |                       | Specifications                                                                                | Units/Number | Notes |
|--------------------------|-----------------------|-----------------------------------------------------------------------------------------------|--------------|-------|
| Functional configuration | CPU                   | RK3288, quad-core, 1.8GHz, Android 5.1.1                                                      |              |       |
|                          | Operating System      | Android 5.1.1                                                                                 |              |       |
|                          | Memory Storage        | Standard 2G (4G optional) / Standard 8G (16/32/64G optional)                                  |              |       |
|                          | built-inROM           | /                                                                                             |              |       |
|                          | HDMI Out              | 1, supports 1080P@120Hz, 4kx2k@60Hz output                                                    |              |       |
|                          | HDMI import           | /                                                                                             |              |       |
|                          | Support Video-Formats | Supports wmv, avi, flv, rm, rmvb, mpeg, ts                                                    |              |       |
|                          | Support Image-Formats | Supports BMP, JPEG, PNG, GIF                                                                  |              |       |
|                          | Audio Input/Output    | Supports left and right channel output, with built-in dual 4R/20W and 8R/10W power amplifiers |              |       |
|                          | Headphone Output      | Supports the insertion of one or two earphones                                                |              |       |
|                          | USB Interface         | 2 USB HOST                                                                                    |              |       |
|                          | Serial Port           | 4 serial port sockets (2 TTL +2232), of which 1 is a Bluetooth multiplexed serial port        |              |       |
|                          | Network Support       | Ethernet WIFI                                                                                 |              |       |
|                          | Memory Card           | Supports SD cards                                                                             |              |       |
|                          | RTC                   | Supports                                                                                      |              |       |
|                          | System Upgrade        | Supports local SD USB upgrades                                                                |              |       |

# Product Rendering:



# Product Dimension Drawing:

